

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	28-10-2025 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-10-2025 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Petroleum And Natural Gas
विभाग का नाम/Department Name	Petronet Mhb Limited
संगठन का नाम/Organisation Name	Petronet Mhb Limited
कार्यालय का नाम/Office Name	Petronet Ho
कुल मात्रा/Total Quantity	79
	Stack Emission Monitoring FFE at PMHBL Mangalore station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 01 station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 02 station as per specification , Stack Emission Monitoring 250 KVA DG at PMHBL Mangalore Station as per specification , Noise Level Monitoring at PMHBL Mangalore Station as per specification , Testing of Ambient Air Quality at PMHBL Mangalore Station as per Specification , Drinking Water Quality Analysis at PHMBL at Mangalore Station , Water Quality Analysis Oil Water Separator at PMHBL Mangalore Station as Per Specification , Illumination test at PMHBL Stations for Mangalore Station as per Specification , Illumination test at PMHBL Stations for SV 01 Station as per Specification , Illumination test at PMHBL Stations for SV 02 Station as per Specification , Stack Emission Monitoring FFE at PMHBL Neriya station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 3 station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 4 station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL Neriya IP station as per specification , Stack Emission Monitoring 250 KVA DG at PMHBL Neriya Station as per specification , Noise Level Monitoring at PMHBL Neriya Station as per specification , Testing of Ambient Air Quality at PMHBL Neriya Station as per Specification , Drinking Water Quality Analysis at PHMBL at Neriya Station , Water Quality AnalysisOil Water Separator at PMHBL Neriya Station as Per Specification , Illumination test at PMHBL Stations for Neriya Station as per Specification , Illumination test at PMHBL Stations for SV 03 Station as per Specification , Illumination test at PMHBL Stations for SV 04 Station as per Specification , PIG Residue Sample analysis as per Specification , Stack Emission

बिड विवरण / Bid Details	
वस्तु श्रेणी /Item Category	Monitoring FFE at PMHBL Hassan station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 5 station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 6 station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 7 station as per specification , Stack Emission Monitoring 250 KVA DG at PMHBL Hassan Station as per specification , Noise Level Monitoring at PMHBL Hassan Station as per specification , Testing of Ambient Air Quality at PMHBL Hassan Station as per Specification , Drinking Water Quality Analysis at PHMBL at Hassan Station , Water Quality AnalysisOil Water Separator at PMHBL Hassan Station as Per Specification , Illumination test at PMHBL Stations for Hassan Station as per Specification , Illumination test at PMHBL Stations for SV 05 Station as per Specification , Illumination test at PMHBL Stations for SV 06 Station as per Specification , Illumination test at PMHBL Stations for SV 07 Station as per Specification , PIG Residue Sample analysis as per Spesification. , Testing of Ambient Air Quality at PMHBL Devangonhi as per specification , Drinking Water Quality Analysis at PMHBL Devangonhi as per specification , Water Quality AnalysisOil Water Separator at PMHBL Devangonhi Station as Per Specification , Noise Level Monitoring at PMHBL Devangonhi as per specification , Stack Emission Monitoring 250 KVA DG at PMHBL Devangonhi as per specification , Stack Emission Monitoring FFE at PMHBL Devangonhi as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 8 station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 9 station as per specification , Stack Emission Monitoring 15 KVA DG at PMHBL SV 10 station as per specification , Stack Emission Monitoring 25 KVA DG at PMHBL IP1 station as per specification , Illumination test at PMHBL Stations for Devangonhi Station as per Specification , Illumination test at PMHBL Stations for SV 08 Station as per Specification , Illumination test at PMHBL Stations for IP Station as per Specification , Illumination test at PMHBL Stations for SV 09 Station as per Specification , Illumination test at PMHBL Stations for SV 10 Station as per Specification , PIG Residue Sample analysis Station as per Specification
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Carrying out Chemical Analysis of Ambient Air Quality, Stack Emission for DG and Fire Fighting Engine, drinking water, Bore well water, Noise level, Illumination level Measurement at PMHBL- Mangalore, Neriya, Hassan, Devangonhi and its jurisdictional SV Station.
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Continuous Ambient Air Quality Monitoring System - Sensor Based • Stack Monitoring Kit • Sound Level Meter / Noise Level Meter (Sound Measuring Apparatus or Decibel Meter)
बीओक्यू शीर्षक /BOQ Title	Chemical Analysis of Ambient Air Quality and others
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Stack Emission Monitoring FFE at PMHBL Mangalore station as per specification
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
/ Purchase Preference to MSE OEMs available upto price within L1+X%	15
/ Maximum Percentage of Bid quantity for MII purchase preference	25

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
17-10-2025 12:00:00	PETRONET MHB LIMITED. Corporate Miller, 2nd Floor, Block B, 332/1, Thimmaiah Road, Vasanth Nagar, Bangalore 560052 Phone No.: +91 080 22262317 / 22262316

Stack Emission Monitoring FFE At PMHBL Mangalore Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	3	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 01 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 02 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Stack Emission Monitoring 250 KVA DG At PMHBL Mangalore Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Noise Level Monitoring At PMHBL Mangalore Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Testing Of Ambient Air Quality At PMHBL Mangalore Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Drinking Water Quality Analysis At PHMBL At Mangalore Station

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Water Quality Analysis Oil Water Separator At PMHBL Mangalore Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Illumination Test At PMHBL Stations For Mangalore Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Illumination Test At PMHBL Stations For SV 01 Station As Per Specification**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Illumination Test At PMHBL Stations For SV 02 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mahesh Hegde M	575030,Petronet MHB limited, Mangalore Pumping Station, Near HPCL POL Terminal, Bala Village, via Katipalla, Mangalore-	1	365

Stack Emission Monitoring FFE At PMHBL Neriya Station As Per Specification**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	3	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 3 Station As Per Specification**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	1	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 4 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	1	365

Stack Emission Monitoring 15 KVA DG At PMHBL Neriya IP Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village- Neriya, Taluk -Belthangady	1	365

Stack Emission Monitoring 250 KVA DG At PMHBL Neriya Station As Per Specification**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village- Neriya, Taluk -Belthangady	1	365

Noise Level Monitoring At PMHBL Neriya Station As Per Specification**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	1	365

Testing Of Ambient Air Quality At PMHBL Neriya Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	1	365

Drinking Water Quality Analysis At PHMBL At Neriya Station

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village- Neriya, Taluk -Belthangady	1	365

Water Quality AnalysisOil Water Separator At PMHBL Neriya Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village- Neriya, Taluk -Belthangady	1	365

Illumination Test At PMHBL Stations For Neriya Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	1	365

Illumination Test At PMHBL Stations For SV 03 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	1	365

Illumination Test At PMHBL Stations For SV 04 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	1	365

PIG Residue Sample Analysis As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajan G	574240,Petronet MHB Limited, Pumping Station, Village-Neriya, Taluk -Belthangady	5	365

Stack Emission Monitoring FFE At PMHBL Hassan Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	3	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 5 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 6 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 7 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Stack Emission Monitoring 250 KVA DG At PMHBL Hassan Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Noise Level Monitoring At PMHBL Hassan Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Testing Of Ambient Air Quality At PMHBL Hassan Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Drinking Water Quality Analysis At PHMBL At Hassan Station

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Water Quality AnalysisOil Water Separator At PMHBL Hassan Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Illumination Test At PMHBL Stations For Hassan Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Illumination Test At PMHBL Stations For SV 05 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Illumination Test At PMHBL Stations For SV 06 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

Illumination Test At PMHBL Stations For SV 07 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	1	365

PIG Residue Sample Analysis As Per Spesification.

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravindra Shripadarao Tapas	573201,Petronet MHB Limited,Hassan Pumping & Delivery Station, KIADB Industrial Growth Center, Bommanaikanahalli Village	5	365

Testing Of Ambient Air Quality At PMHBL Devangonhi As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Drinking Water Quality Analysis At PMHBL Devangonhi As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Water Quality AnalysisOil Water Separator At PMHBL Devangonhi Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Noise Level Monitoring At PMHBL Devangonhi As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Stack Emission Monitoring 250 KVA DG At PMHBL Devangonhi As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Stack Emission Monitoring FFE At PMHBL Devangonhi As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	3	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 8 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 9 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Stack Emission Monitoring 15 KVA DG At PMHBL SV 10 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Stack Emission Monitoring 25 KVA DG At PMHBL IP1 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Illumination Test At PMHBL Stations For Devangonhi Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Illumination Test At PMHBL Stations For SV 08 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Illumination Test At PMHBL Stations For IP Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Illumination Test At PMHBL Stations For SV 09 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

Illumination Test At PMHBL Stations For SV 10 Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	1	365

PIG Residue Sample Analysis Station As Per Specification

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhishek Mishra	560067,Petronet MHB Limited, Receiving Station, Near Devangonhi Railway Station, Village Tarabahalli	10	365

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

5. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Bidders are requested to submit the required documents as sought in the bid document(Specification) and also submit supporting documents as per the Bid Evaluation Criteria(BEC).

Bidders are advised to submit acceptance to Bid scope of work, terms and conditions on their letter head.

In the event of an irreconcilable conflict between the provision of the Tender Documents (including PMHBL General Conditions of Purchase) and GeM General Terms & Conditions, the provision(s) in the Tender Documents (including PMHBL General Conditions of Purchase) shall supersede the conflicting provision(s) in the GeM General Terms & Conditions.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---